



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Lipomed AG
Fabrikmattenweg 4
Arlesheim CH 4144, Switzerland

Fulfills the requirements of

ISO 17034:2016

In the field of

REFERENCE MATERIAL PRODUCER

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to be 'J. Stine', is positioned above a horizontal line.

Jason Stine, Vice President

Expiry Date: 22 February 2025

Certificate Number: AR-1761



This reference material producer is accredited in accordance with the recognized International Standard ISO 17034:2016. This accreditation demonstrates technical competence for a defined scope and the operation of a reference material producer quality management system.

SCOPE OF ACCREDITATION TO ISO 17034:2016

Lipomed AG
Fabrikmattenweg 4
Arlesheim CH 4144, Switzerland
Dr. Ralph Deuster +41 61 702 02 00
qualityassurance@lipomed.com www.lipomed.com

REFERENCE MATERIAL PRODUCER

Valid to: **February 22, 2025**

Certificate Number: **AR-1761**

Chemical

Type of Reference Material	Description of the Reference Material Matrix or Artifact including the Property-Properties Characterized	Method or Techniques Used by the RMP Laboratory to Determine the Assigned Value (if Appropriate)
Reference Materials and Certified Reference Materials	<p>Single and multi-component organic materials either neat or in dilute organic or aqueous solvents.</p> <ul style="list-style-type: none"> • Drugs of abuse • Metabolites • Intermediates • Ethanol / Alcohol 	<ul style="list-style-type: none"> • Chromatography (HPLC and GC) • Mass spectrometry (LC-MS) • Residual solvent limit (Headspace GC-FID) • Accuracy and homogeneity (UV/vis spectrophotometer) • Infrared spectrophotometry (FTIR) • Water determination (Karl Fischer) • Optical rotation (Polarimetry)

Notes:

1. Please contact the RMP organization for more information on CRM uncertainty values, Ucrm values, and other specific lot values. Some of this information may also be available on the RMP's website.
2. This scope is formatted as part of a single document including Certificate of Accreditation No. AR-1761.



Jason Stine, Vice President

